

FlexiRamp™



Conversions without limits

FlexiRamp™

→ UNIQUE ENTRANCE SYSTEM

FlexiRamp is a synonymous for an easy and comfortable transport of a wheelchair user, and full versatility of the vehicle.

The vehicle floor is lowered full length and is equipped with the painted aluminium folding ramp. The floor and the ramp surface are antiskid and washable.

The retractable wheelchair restraint system ensures safety and security when a wheelchair is entering a vehicle and during a transport.

The wheelchair accessible vehicle has variable seating capacity using the original seats.

AVAILABLE FOR VEHICLES:


BRL	Peugeot Partner, Citroën Berlingo
CDS	Volkswagen Caddy
CDM	Volkswagen Caddy Maxi
CNT	Ford Tourneo Connect
CNL	Ford Grand Tourneo Connect
DBL	Fiat Doblo



FlexiRamp can be easily folded down and a vehicle luggage compartment is fully usable.
Optional equipment: winch assist, headrest, tip-up seats.



European Community Whole Vehicle Type Approval



FlexiCurve floor allows a wheelchair user to find the most comfortable seating position and enjoy a pleasant driving experience.

Peugeot Partner, Citroën Berlingo FlexiRamp™





DIMENSIONS


A	entrance door height	1 450 mm	57,1 in
B	min. interior height	1 400 mm	53,9 in
C	ramp slope	12°	12°
D	ramp width	730 mm	28,7 in
E	ramp length	1 050 mm	41,3 in
F	floor width	760 mm	29,9 in
H	floor length	1 400 mm	55,1 in




SEATING CAPACITY



3 people + 1 wheelchair



4 people + 1 wheelchair



5 people




Volkswagen Caddy FlexiRamp™





DIMENSIONS


A	entrance door height	1 450 mm	57,1 in
B	min. interior height	1 420 mm	55,9 in
C	ramp slope	12°	12°
D	ramp width	750 mm	29,5 in
E	ramp length	1 270 mm	50,0 in
F	min. floor width	785 mm	30,9 in
G	max. floor width	1 030 mm	40,6 in
H	floor length	1 550 mm	61,0 in



SEATING CAPACITY



3 people + 1 wheelchair



5 people

FlexiCurve floor




Volkswagen Caddy Maxi FlexiRamp™





DIMENSIONS


A	entrance door height	1 450 mm	57,1 in
B	min. interior height	1 420 mm	55,9 in
C	ramp slope	12°	12°
D	ramp width	725 mm	28,5 in
E	ramp length	1 140 mm	44,9 in
F	floor width	760 mm	29,9 in
H	usable floor length	1 400 mm	55,1 in



SEATING CAPACITY



5 people + 1 wheelchair



5 - 7 people



* ORIGINAL OR TIP-UP SEATS




Ford Tourneo Connect FlexiRamp™





DIMENSIONS


A	entrance door height	1 480 mm	58,2 in
B	min. interior height	1 400 mm	53,9 in
C	ramp slope	12°	12°
D	ramp width	765 mm	30,1 in
E	ramp length	1 100 mm	43,3 in
F	min. floor width	775 mm	30,5 in
G	max. floor width	860 mm	33,8 in
H	floor length	1 540 mm	60,6 in



SEATING CAPACITY



3 people + 1 wheelchair



5 people


FlexiCurve floor




Ford Grand Tourneo Connect FlexiRamp™

DIMENSIONS


A	entrance door height	1 480 mm	58,3 in
B	min. interior height	1400 mm	53,9 in
C	ramp slope	12°	12°
D	ramp width	765 mm	30,1 in
E	ramp length	1 290 mm	50,8 in
F	min. floor width	775 mm	30,5 in
G	max. floor width	860 mm	33,9 in
H	usable floor length	1 230 1 330 mm	48,4 52,4 in






FlexiCurve floor

SEATING CAPACITY



5 people + 1 wheelchair



5 - 7 people



* TIP-UP SEATS




Fiat Doblo FlexiRamp™





DIMENSIONS


A	entrance door height	1 450 mm	58,2 in
B	min. interior height	1 435 mm	53,9 in
C	ramp slope	12°	12°
D	ramp width	762 mm	30 in
E	ramp length	1 150 mm	45,3 in
F	min. floor width	775 mm	30,5 in
G	max. floor width	780 mm	30,7 in
H	floor length	1 345 mm	52,9 in



SEATING CAPACITY



5 people + 1 wheelchair



5 - 7 people

FlexiCurve floor



OPTIONAL EQUIPMENT

RESTRAINT SYSTEMS

Slide'n'Click retractors | standard



Flush mounted rear retractors | optional



HEADREST



TIP-UP SEATS



WINCH ASSIST



	BRL	CDS	CDM	CNT	CNL	DBL
SnC retractors	✓	✓	✓	✓	✓	✓
FLR retractors				✓	✓	✓
Headrest	✓	✓	✓	✓	✓	✓
TIP-UP seats			✓		✓	✓
Winch assist	✓	✓		✓	✓	



CONTACT

www.flexiramp.com



API CZ S.R.O.

Slapy 136
391 76 Slapy u Tábora
Czech Republic

T: +420 381 278 043
M: +420 606 070 992
E: info@apicz.com

www.apicz.com

API DE GMBH

Stubenrauchstraße 121
12357 Berlin
Germany

T: +49(0)30-453 05 144
F: +49(0)30-453 05 161
E: contact@apicz.com

www.apide.de



ALFRED BEKKER API LTD

Kellythorpe Industrial Estate
Driffeld | East Yorkshire
YO 25 9DJ
England

T: +44 1377 241700
F: +44 1377 241767
E: info@alfredbekker.com

www.alfredbekker.com



All pictures and illustrations shown are for reference purposes only. All information, specifications and illustrations are based on the latest information available at the time of publishing. API CZ reserves the right to make changes at any time without notice. © 05/2017 API CZ s.r.o.

